



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/487,187	01/19/2000	Geroge R. Blakley III	AUS000066US1	2877

7590 12/22/2003

LAW OFFICE OF JOSEPH R. BURWELL  
P. O. BOX 28022  
AUSTIN, TX 78755-8022

EXAMINER

BURGESS, BARBARA N

ART UNIT	PAPER NUMBER
----------	--------------

2157

DATE MAILED: 12/22/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/487,187

Applicant(s)

BLAKLEY III ET AL.

Examiner

Barbara N Burgess

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 October 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

This office action is in response to Request for Reconsideration filed October 6, 2003. Claims 1-21 are presented for further examination.

#### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 1 is rejected under U.S.C. 102(b) as being anticipated by Hu.

As per claim 1, Hu discloses a method of enabling a client terminal user to access target resources managed by a set of resource managers within an enterprise computing environment, comprising:

- Authenticating the user to establish a user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);
- Mapping the user primary identity to a set of user secondary identities (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);

Art Unit: 2157

- Authenticating the user to the resource managers using the set of user secondary identities (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);
- Following authentication using the set of user secondary identities, forwarding resource requests to the resource managers (column 3, lines 59-65, column 4, lines 52-55, column 6, lines 30-35);
- Returning replies received from the resource managers back to the user (column 4 lines 14-17, 55-58, column 6, lines 35-39).

As per claim 2, Hu discloses:

- The user primary identity is mapped to the set of user secondary identities by a sign-on service (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30).

As per claim 3, Hu discloses:

- Authenticating the step of authenticating a trusted server to the sign-on service prior to mapping the user primary identity to the set of user secondary identities (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28).

Art Unit: 2157

As per claim 4, Hu discloses:

- The trusted server is authenticated to the sign-on service before the step of authenticating the user to establish the user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28).

As per claim 5, Hu discloses:

- Trusted server is authenticated to the sign-on service after the step of authenticating the user to establish the user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28)

As per claim 6, Hu discloses:

- The user is authenticated to establish the user primary identity using an authentication service associated with the trusted server (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28)

Art Unit: 2157

As per claim 8, Hu discloses:

- The client terminal user accesses the enterprise computing environment over the Internet (column 7, lines 40-45).

As per claim 9, Hu discloses:

- The user is authenticated to a given resource manager using an authentication service associated with the given resource manager (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30).

As per claim 10, Hu discloses a method for enabling a client terminal user to access target resources managed by a set of resource managers operative within an enterprise computing environment, wherein the environment has an associated sign-on service, comprising:

- Responsive to a request received from a user of the client terminal, authenticating the user to establish a user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);
- Using the user primary identity, accessing the sign-on service to retrieve a set of stored user authentication information, wherein the stored user authentication information comprises a set of user secondary identities (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);

Art Unit: 2157

- Performing a sign-on to the set of resource managers using the retrieved set of user secondary identities (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);
- Forwarding the request to a given resource manager (column 3, lines 63-65, column 4, lines 53-55, column 6, lines 31-35);
- Forwarding a reply received from the given resource manager back to the user (column 4 lines 14-17, 55-58, column 6, lines 35-39).

As per claim 11, Hu discloses a method for enabling a client terminal user to access target resources managed by a set of resource managers operative within an enterprise computing environment, wherein the environment has an associated sign-on service, comprising:

- Having the client terminal user perform primary login to an intermediary server to establish a user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);
- Having the intermediary server pass the user's primary identity to the sign-on service and in response, obtaining a set of user secondary identities that may be used in enabling the intermediary server to represent the client terminal user to the resource managers (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);

Art Unit: 2157

- Having the intermediary server perform a secondary logon to a first resource manager using a first user secondary identity (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);
- Having the intermediary server perform a secondary logon to a second resource manager using a second user secondary identity (column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);
- Having the intermediary server perform resource requests at the first and second resource managers under the respective secondary identities (column 3, lines 63-65, column 4, lines 53-55, column 6, lines 31-35);
- Forwarding responses back to the client terminal user (column 4 lines 14-17, 55-58, column 6, lines 35-39).

As per claim 12, Hu discloses in an enterprise computing environment having a set of resource managers and a sign-on service, the enterprise computing environment comprising:

- Means for authenticating a user to establish a user primary account associated with a user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);
- Means for cooperating with the sign-on service to map the user primary account to a set of user secondary accounts associated with a set of user secondary identities



Art Unit: 2157

(column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);

- Means for logging onto the set of resource managers using the user secondary accounts (column 3, lines 63-65, column 4, lines 53-55, column 6, lines 31-35);
- Means for passing resource requests from the user to the resource managers under the user secondary accounts (column 3, lines 63-65, column 4, lines 53-55, column 6, lines 31-35).

As per claim 13, Hu discloses:

- The server passes replies to the resource requests back to the user (column 4 lines 14-17, 55-58, column 6, lines 35-39).

As per claims 14 and 21, Hu discloses in an enterprise computing environment having a set of resource managers and a sign-on service, comprising:

- Means for authenticating a user to establish a user primary account associated with a user primary identity (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);
- Means for authenticating the server to the sign-on service, wherein the set of user secondary accounts is associated with a set of user secondary identities (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);

Art Unit: 2157

- Means for passing resource requests and associated replies between the user and the resource managers (column 3, lines 63-65, column 4, lines 53-55, column 6, lines 31-35).

As per claim 15, Hu discloses:

- Means for load balancing resource requests passed to a set of instances of a given resource manager (column 3, lines 63-65, column 4, lines 53-55, column 6, lines 31-35).

As per claim 16, Hu discloses a system comprising:

- A set of resource managers (column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30);
- A sign-on service (column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-28);
- A server comprising means for authenticating a user to establish a user primary accounts associated with primary user identities, means for logging a given user onto the set of resource managers using the user secondary accounts for the given user retrieved from the sign on service, wherein a set of user secondary accounts for a given user is associated with a set of user secondary identities for a given user, and means for passing resource requests and associated replies between the given user and the resource managers (column 2, lines 1-17, 20-25, 42-47, column 3, lines

Art Unit: 2157

63-65, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-35).

As per claim 17, Hu discloses:

- At least one resource manager comprises a set of instances (column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30).

As per claim 19, Hu discloses:

- The server comprises a set of instances (column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30).

As per claim 20, Hu discloses:

- A manager that manages the set of server instances (column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30).

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2157

4. Claims 7, 15, and 18 are rejected under 35 U.S.C. 103(a) as being unpatenable over Hu in view of Brendel et al. (hereinafter "Brendel", 5,774,660).

As per claims 7, 15, and 18, Hu does not explicitly disclose load balancing resource requests across a set of instances of a given resource manager. However, in an analogous art, Brendel discloses load balancing performed among nodes that have the requested resource (column 22, lines 65-67).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate load balancing in Hu's method in order to avoid bottleneck and single point of failure and increase the efficiency of the system.

### ***Response to Arguments***

**The Office notes the following arguments:**

(a) As should be apparent from the cursory reading of the rejection (Applicant states the Examiner's rejection to claim 1 in its entirety in the Request for Reconsideration, paper number 10), the rejection has taken multiple shortcuts in terms of form and logic that make it difficult for one to understand the anticipation argument that is supposedly presented by the rejection. For example it is difficult to understand why the same portions of Hu are cited as disclosing different elements within the claims. Additionally, it is difficult to understand why multiple portions of Hu are cited for disclosing one element within the claim. Moreover, some of the cited portions of Hu contain many

Art Unit: 2157

different kinds of processing steps, and it is difficult to understand why the anticipation rejection does not attempt to relate individual steps within the Hu to the individual steps in the method of claim 1. Thus, Applicant must attempt to construct a logical argument from the cited portions without any additional statements within the rejection.

(b) Applicant asserts that Hu does not disclose “a user primary identity” nor a “a set of user secondary identities”.

**In response to:**

(a)-(b) Examiner would like to point out that the rejection made is of the same form and logic as previous rejections made (see paper number 4) for which the Applicant had no problem of understanding. Since the Applicant has found such great difficulty in comprehending the current rejection, the Examiner takes the opportunity to aid the Applicant in understanding the rejection made as it pertains to independent claim 1 (on which the other independent claims are similar).

Hu discloses, “authenticating the user to establish a user primary identity”, as stated in the independent claims, throughout the reference (see column 1, lines 52-55, column 2, lines 3-5, 30-35, 42-45, column 4, lines 23-35). Column 2, lines 3-5 state, “...calling, from the client system, an authentication gateway system, and supplying a user name and a security device; then obtaining, in the authentication gateway system, a set of...” Clearly, this portion of Hu discloses authenticating the user. By the user

Art Unit: 2157

supplying a username, the user is establishing a primary identity that will be used throughout the reference from which authentication to the resource managers will emanate. Column 2, lines 30-35 state "...means and proxy server means. The authentication means includes means for processing a log-in call from a client and receiving a user name and a security device from the client and means for obtaining a set of security credentials permitting client access to the server, and means for saving the security credentials and returning an access key to the client. The..." This portion also teaches the user being authenticated and establishing user primary identity which the username and password or security device. Column 4, lines 23-35 states "...client system includes a log-in procedure, and a client application process from which a server request will emanate. The log-in procedure is executed, as its name implies, only frequently, such as once a day. Part of the log-in procedure is a call to the authentication gateway to permit authentication within the client security domain. This call, indicated by line 34 carries as parameters the identity of the client and any necessary password or security code needed to satisfy the security requirements of the client security domain. The authentication gateway performs the operations necessary to verify the authenticity of the client. The authentication gateway acquires authentication credentials for the client and saves them for later user." Again, this portion discloses authenticating the user to establish a user primary identity.

Hu discloses, "mapping the user primary identity to a set of user secondary identities", as stated in the independent claims, throughout the reference (see column 2, lines 1-18, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6,

Art Unit: 2157

lines 1-11, 17-30). Column 2, lines 1-18 states "In more specific terms, the method of the invention can be defined as comprising the steps of logging in to a server by calling, from the client system, an authentication gateway system, and supplying a user name and a security device; then obtaining, in the authentication gateway system, a set of security credentials that will permit client access to the server; and saving the security credentials and returning an access key to the credentials to the client. The next step is saving the access key in the client system. Subsequently, in a client application process, the client system performs the steps of retrieving the access key, calling a proxy server in the authentication gateway system, and passing the access key to the proxy server. Then, in the proxy server, the steps performed are using the access key to retrieve the security credentials, and using the retrieved security credentials to impersonate the client and call the server on the client's behalf. The step of logging in may include mutually authenticating the identities of the client and authentication gateway." Security credentials and the access key are "secondary identities" that are obtained from the user to identify the user. Column 2, lines 20-25 state "In addition, the method may include the steps of determining the identity of the client that logged in to the authentication gateway; determining the identity of the client that called and passed the access key; and comparing the client identities determined in the preceding two steps, to validate the identity of the client seeking access to the server." Indisputably, this passage states, "mapping the user primary identity to a set of user secondary identities". Hu discloses determining the identity of the user by passing the access key (secondary identity), which obtains the credentials (secondary identity), that was

Art Unit: 2157

received by the user at the initial authentication and comparing (matching) the initial identity (primary identity) with the credentials (secondary identity). Column 2, lines 42-47 states the similar "Preferably, the authentication means includes means for obtaining the identity of the client making the log-in call, and the proxy server means includes means for obtaining the identity of the client making the server call. The proxy server means also includes means for comparing this client identity with the one obtained by the authentication means, to verify..." The other passages cited show the same feature of mapping the user primary identity to a set of user secondary identities.

Hu further discloses, "authenticating the user to the resource managers using the set of user secondary identities" (see column 2, lines 1-17, 20-25, 42-47, column 4, lines 44-55, column 5, lines 30-35, 60-67, column 6, lines 1-11, 17-30). Column 2, lines 13-17 states "...Then, in the proxy server, the steps performed are using the access key to retrieve the security credentials, and using the retrieved security credentials to impersonate the client and call the server on the client's behalf..." Plainly this passage uses the access key and security credentials (secondary identities) to access the server (resource managers). Column 2, lines 20-25 state "In addition, the method may include the steps of determining the identity of the client that logged in to the authentication gateway; determining the identity of the client that called and passed the access key; and comparing the client identities determined in the preceding two steps, to validate the identity of the client seeking access to the server." Again, obtaining the access key (secondary identity) is used to authenticate the user before the user can have access to the server (managers). Column 6, lines 1-11 state "...necessary server credentials,



Art Unit: 2157

which are stored as a "security context" for the client. Although not shown, the authentication gateway process also invokes a service that provides the identity of the caller, i.e. the client, and stores the client identity with the security context information. As also shown, the authentication gateway process returns a server-based identity to the client. The identity is basically an access key to retrieve the stored security context. In the client log-in process, the server-based identity is saved in a id cache." Hu discloses the user having server credentials which are saved as "security context" which is another set of secondary identities used by the user to authenticate itself to the server (resource managers). Column 6, lines 17-30 state "...The next step performed in proxy server process, on receipt of the call from the client application process, is the call to the authentication gateway, to retrieve the stored security context, using the id as an access key. The proxy server process also determines who made the call. The client identity obtained in this step is compared with the client identity stored with the security context of the authentication gateway process. Comparing the two client identities eliminates the possibility that the client application process is using a server-based id that was not obtained legitimately during a log-in procedure." Clearly Hu discloses authenticating the user to the resource managers using the set of user secondary identities. The other passages cited show the same feature.

Hu discloses "following authentication using the set of user secondary identities, forwarding resource requests to the resource managers (see column 3, lines 59-65, column 4, lines 52-55, column 6, lines 30-35). Column 3, lines 59-65 state "A client system wishes to use the services provided by a server system but does not have the

Art Unit: 2157

required software or hardware to conform to the server's requirements for authentication. Instead, the client system communicates with an authentication gateway computer system which communicates, in turn, with the server..." It is evident that Hu discloses forwarding the requests of the client to the server (resource managers) once the user has been authenticated. Column 4, lines 52-55 state "...the credentials of the client that were saved by the authentication gateway during the log-in procedure. At this point the proxy server has all the information it needs to make a call to the real server..." Again, Hu discloses using credentials (user secondary identities) to authenticate the user and then making a call to the server (forwarding resource requests to the resource managers). Column 6, lines 30-35 state "The proxy server process then uses the server-based id to retrieve the client security context to impersonate the client, and makes a call to the server using the appropriate server credentials. The server processes the call and returns any required output arguments..." Clearly, Hu discloses following authentication using the set of secondary identities (credentials, server-based id, security context), forwarding resource requests to the resource managers (server) in this passage.

Hu further discloses "returning replies received from the resource managers back to the user (see column 4 lines 14-17, 55-58, column 6, lines 35-39). Column 4, lines 14-17 state "If the service requested of the server requires that information be passed back to the client from the server, this information is passed through the proxy server acting as an intermediary." Explicitly, this passage discloses passing the information from the server (resource managers) back to the client (user). All other passages state

Art Unit: 2157

the same feature. Plainly, Hu discloses returning replies received from the resource managers back to the user.

Examiner hopes that this clarification of the rejection, as it pertains to claim 1, is now clearly understandable by the Applicant.

### ***Conclusion***

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara N Burgess whose telephone number is (703) 305-3366. The examiner can normally be reached on M-F (8:00am-4:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Ettinene can be reached on (703) 308-7562. The fax phone numbers

Art Unit: 2157


for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Barbara N Burgess  
Examiner  
Art Unit 2157

\*\*\*

December 10, 2003

  
ARIO ETIENNE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100